

Client: Ascend Science

Certified: 07/09/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	Tirzepatide	Form	Lyophilized powder
Batch	AS-TZ60	Labeled Qty	60 mg
Mol. Formula	C225H348N48O68	CAS Number	2023788-19-2
Cap Color	Clear	Crimp Color	Copper

TEST RESULTS

	REFERENCE STANDARD	RESULT
Batch Avg Purity	(>98%)	99.646%
Batch Avg Net Content	(~60mg)	62.10 mg
Identity Confirmation (LC-MS)	(Tirzepatide)	Tirzepatide
Endotoxin Safety Screen	(≤0.5 EU/mL)	Pass
Fentanyl Presence Analysis	(Not Detected)	Not Detected
Microbial Sterility Screen	(No Growth)	No Growth

HEAVY METAL SCREENING


Analyte	Result	Status
Arsenic (As)	Negative	
Cadmium (Cd)	Negative	
Lead (Pb)	Negative	
Mercury (Hg)	Negative	

BATCH CONFORMITY RESULTS

Vial	Purity (%)	Net Content (mg)
Vial 1	99.734	62.09
Vial 2	99.816	61.75
Vial 3	99.389	62.46
Batch Average	99.646%	62.10 mg

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm



Amir Arghandinal
Lab Director



koveralabs.com/verify

Report#: KVR-2026-35CD39
Access Code: 7DNH8YD