

Client: Ascend Science

Certified: 07/09/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	GLP3	Form	Lyophilized powder
Batch	AS-RT20	Labeled Qty	20 mg
Mol. Formula	C221H342N46O68	CAS Number	2381089-83-2
Cap Color	Black	Crimp Color	Silver

TEST RESULTS

	REFERENCE STANDARD	RESULT
Batch Avg Purity	(>98%)	99.565%
Batch Avg Net Content	(~20mg)	20.52 mg
Identity Confirmation (LC-MS)	(GLP3)	GLP3
Endotoxin Safety Screen	(≤0.5 EU/mL)	Pass
Fentanyl Presence Analysis	(Not Detected)	Not Detected
Microbial Sterility Screen	(No Growth)	No Growth

HEAVY METAL SCREENING


Analyte	Result	Status
Arsenic (As)	Negative	
Cadmium (Cd)	Negative	
Lead (Pb)	Negative	
Mercury (Hg)	Negative	

BATCH CONFORMITY RESULTS

Vial	Purity (%)	Net Content (mg)
Vial 1	99.638	20.52
Vial 2	99.586	20.61
Vial 3	99.471	20.44
Batch Average	99.565%	20.52 mg

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm



Amir Arghandanal
Lab Director



koveralabs.com/verify

Report#: KVR-2026-4EBB03
Access Code: HF88TVI